

1719IT4B

Allen-Bradley 1719 Ex I/O 4-Channel Thermocouple Input Module



IN CABINET DISTRIBUTED IO



Allen-Bradley



Component type	PLC function/technology module
Range	Ex I/O
Model	N/A
Product status	Existing

The Allen-Bradley Ex I/O modules are an intrinsically safe distributed I/O platform that can be mounted in either Zone 1 or 2, Class I or Div 2 hazardous areas. It integrates devices via EtherNet/IP™ in a chassis-based I/O design reducing the need for additional hardware and wiring. Allowing flexible configuration options ranging from 10 to 40-slot and covered by bulletin numbers 1718 and 1719.

CONSTRUCTION	Suitable for safety functions	No
	Width	32 mm
DIMENSIONS	Height	100 mm
	Depth	103 mm

1719IT4B

Allen-Bradley 1719 Ex I/O 4-Channel Thermocouple Input Module




IN CABINET DISTRIBUTED I/O



Allen-Bradley

DIMENSIONAL DIAGRAM



1719IT4B


Allen-Bradley 1719 Ex I/O 4-Channel Thermocouple Input Module



IN CABINET DISTRIBUTED IO



Allen-Bradley



RELATED PRODUCTS

ACCESSORY



Item No: 1719TB8SX2

Required: No


Description: Allen-Bradley 1719 Ex I/O Spring Terminal 2 x 8P



Item No: 1719TB8X2

Required: No

Description: Allen-Bradley 1719 Ex I/O Screw Terminal 2 x 8P



Item No: 1719TB8X2F

Required: No

Description: Allen-Bradley 1719 Ex I/O Front Screw Terminal 2 x 8P